

ABI Status Query  
Response Manual  
1.0.0

---

## Section: 1.1

Name:	data
Full Path:	abiStatusQueryResponse.data
Type:	String Value
Is Required?:	No
Minimum Length:	
Maximum Length:	

### Sample JSON:

```
"data": "ABI_STATUS_QUERY_RESPONSE"
```

### Description:

---

## Section: 1.2

Name:	timestamp
Full Path:	abiStatusQueryResponse.timestamp
Type:	String Value
Is Required?:	No
Minimum Length:	
Maximum Length:	

### Sample JSON:

```
"timestamp": "2023-01-01 13:50:00"
```

### Description:

---

## Section: 1.3

Name:	boLevelDetails
Full Path:	abiStatusQueryResponse.boLevelDetails
Type:	Array<JsonObject>
Is Required?:	No

### Sample JSON:

```
[{}]
```

### Description:

---

## Section: 1.3.1

Name:	bolLevelDetail
Full Path:	abiStatusQueryResponse.bolLevelDetails.bolLevelDetail
Type:	Object
Is Required?:	No

### Sample JSON:

```
{
```

### Description:

---

## Section: 1.3.1.1

Name:	status
Full Path:	abiStatusQueryResponse.boLevelDetails.boLevelDetail.status
Type:	String Value
Is Required?:	No
Minimum Length:	
Maximum Length:	

### Sample JSON:

```
"status": "AR"
```

### Description:

---

## Section: 1.3.1.2

Name:	inBondArrivalDate
Full Path:	abiStatusQueryResponse.boLevelDetails.boLevelDetail.inBondArrivalDate
Type:	String Value
Is Required?:	No
Minimum Length:	
Maximum Length:	

### Sample JSON:

```
"inBondArrivalDate": "2023-01-02 13:50:00"
```

### Description:

---

### Section: 1.3.1.3

Name:	inBondExportDate
Full Path:	abiStatusQueryResponse.boLevelDetails.boLevelDetail.inBondExportDate
Type:	String Value
Is Required?:	No
Minimum Length:	
Maximum Length:	

#### Sample JSON:

```
"inBondExportDate": "2023-01-02 13:50:00"
```

#### Description:



---

## Section: 1.3.1.4

Name:	type
Full Path:	abiStatusQueryResponse.boLevelDetails.boLevelDetail.type
Type:	String Value
Is Required?:	No
Minimum Length:	
Maximum Length:	

### Sample JSON:

```
"type": "61"
```

### Description:

---

## Section: 1.3.1.5

Name:	isUpdated
Full Path:	abiStatusQueryResponse.boLevelDetails.boLevelDetail.isUpdated
Type:	Boolean Value
Is Required?:	Yes

### Sample JSON:

```
"isUpdated": false
```

### Description:

---

## Section: 1.3.1.6

Name:	quotedBolLevelEntryNumber
Full Path:	abiStatusQueryResponse.bolLevelDetails.bolLevelDetail.quotedBolLevelEntryNumber
Type:	String Value
Is Required?:	No
Minimum Length:	
Maximum Length:	

### Sample JSON:

```
"quotedBolLevelEntryNumber": "123456789"
```

### Description:

---

## Section: 1.3.1.7

Name:	masterBillNumber
Full Path:	abiStatusQueryResponse.boLevelDetails.boLevelDetail.masterBillNumber
Type:	String Value
Is Required?:	No
Minimum Length:	
Maximum Length:	

### Sample JSON:

```
"masterBillNumber": "123456789"
```

### Description:

---

## Section: 1.3.1.8

Name:	houseBillNumber
Full Path:	abiStatusQueryResponse.boLevelDetails.boLevelDetail.houseBillNumber
Type:	String Value
Is Required?:	No
Minimum Length:	
Maximum Length:	

### Sample JSON:

```
"houseBillNumber": "123456789"
```

### Description:

---

## Section: 1.3.1.9

Name:	subHouseBillNumber
Full Path:	abiStatusQueryResponse.boLevelDetails.boLevelDetail.subHouseBillNumber
Type:	String Value
Is Required?:	No
Minimum Length:	
Maximum Length:	

### Sample JSON:

```
"subHouseBillNumber": "123456789"
```

### Description:

---

## Section: 1.3.1.10

Name:	billOfLadingType
Full Path:	abiStatusQueryResponse.boLevelDetails.boLevelDetail.billOfLadingType
Type:	String Value
Is Required?:	No
Minimum Length:	
Maximum Length:	

### Sample JSON:

```
"billOfLadingType": "F"
```

### Description:

---

## Section: 1.3.1.11

Name:	importerSecurityFilingOnFile
Full Path:	abiStatusQueryResponse.boLevelDetails.boLevelDetail.importerSecurityFilingOnFile
Type:	Boolean Value
Is Required?:	No

### Sample JSON:

```
"importerSecurityFilingOnFile": false
```

### Description:



---

### Section: 1.3.1.13

Name:	modeOfTransport
Full Path:	abiStatusQueryResponse.boLevelDetails.boLevelDetail.modeOfTransport
Type:	String Value
Is Required?:	No
Minimum Length:	
Maximum Length:	

#### Sample JSON:

```
"modeOfTransport": "A"
```

#### Description:

---

## Section: 1.3.1.14

Name:	quantity
Full Path:	abiStatusQueryResponse.boLevelDetails.boLevelDetail.quantity
Type:	Numeric Value
Is Required?:	Yes

### Sample JSON:

```
"quantity": 10
```

### Description:

---

## Section: 1.3.1.15

Name:	unitOfMeasure
Full Path:	abiStatusQueryResponse.boLevelDetails.boLevelDetail.unitOfMeasure
Type:	String Value
Is Required?:	No
Minimum Length:	
Maximum Length:	

### Sample JSON:

```
"unitOfMeasure": "BI"
```

### Description:

## Section: 1.3.1.16

Name:	dispositionActions
Full Path:	abiStatusQueryResponse.boLevelDetails.boLevelDetail.dispositionActions
Type:	Array<JsonObject>
Is Required?:	No

## Sample JSON:

```
[
  {
    "dispositionActionDate": "2023-01-02 13:50:00",
    "dispositionActionCode": "1C",
    "narrativeMessage": "Entered and released general examination.",
    "releaseDate": "2023-01-02 13:50:00",
    "releaseOrigin": "99",
    "quantity": 42
  }
]
```

## Description:

---

## Section: 1.3.1.16.1

Name:	dispositionAction
Full Path:	abiStatusQueryResponse.boLevelDetails.boLevelDetail.dispositionActions.dispo sitionAction
Type:	Object
Is Required?:	No

### Sample JSON:

```
{  
  "dispositionActionDate": "2023-01-02 13:50:00",  
  "dispositionActionCode": "1C",  
  "narrativeMessage": "Entered and released general examination.",  
  "releaseDate": "2023-01-02 13:50:00",  
  "releaseOrigin": "99",  
  "quantity": 42  
}
```

### Description:

## Section: 1.3.1.17

Name:	airBolDetails
Full Path:	abiStatusQueryResponse.bolLevelDetails.bolLevelDetail.airBolDetails
Type:	Object
Is Required?:	No

## Sample JSON:

```
"airBolDetails": {
  "importingCarrierCode": "ABCD",
  "flightNumber": "123456789",
  "scheduledArrivalDate": "2023-01-02 13:50:00",
  "airWaybillNumber": "123456789",
  "masterAirWaybillPartIndicator": "U",
  "masterAirWaybillManifestQuantity": 4,
  "masterAirWaybillBoardedQuantity": 4,
  "houseAirWaybillNumber": "123456789",
  "houseAirWaybillPartIndicator": "U",
  "houseAirWaybillManifestQuantity": 4,
  "houseAirWaybillBoardedQuantity": 4,
  "dispositionActions": [
    {
      "dispositionActionDate": "2023-01-02 13:50:00",
      "dispositionCode": "1A",
      "narrativeMessage": "Entered and released general examination.",
      "inBondOrEntryNumber": "123456789"
    }
  ]
}
```

## Description:

---

## Section: 1.3.1.17.1

Name:	importingCarrierCode
Full Path:	abiStatusQueryResponse.boLevelDetails.boLevelDetail.airBoIDetails.importingCarrierCode
Type:	String Value
Is Required?:	No
Minimum Length:	
Maximum Length:	

### Sample JSON:

```
"importingCarrierCode": "ABCD"
```

### Description:

---

## Section: 1.3.1.17.2

Name:	flightNumber
Full Path:	abiStatusQueryResponse.boLevelDetails.boLevelDetail.airBoIdDetails.flightNumber
Type:	String Value
Is Required?:	No
Minimum Length:	
Maximum Length:	

### Sample JSON:

```
"flightNumber": "123456789"
```

### Description:



---

### Section: 1.3.1.17.3

Name:	scheduledArrivalDate
Full Path:	abiStatusQueryResponse.boiLevelDetails.boiLevelDetail.airBoiDetails.scheduledArrivalDate
Type:	String Value
Is Required?:	No
Minimum Length:	
Maximum Length:	

#### Sample JSON:

```
"scheduledArrivalDate": "2023-01-02 13:50:00"
```

#### Description:

---

## Section: 1.3.1.17.4

Name:	airWaybillNumber
Full Path:	abiStatusQueryResponse.boLevelDetails.boLevelDetail.airBoIDetails.airWaybillNumber
Type:	String Value
Is Required?:	No
Minimum Length:	
Maximum Length:	

### Sample JSON:

```
"airWaybillNumber": "123456789"
```

### Description:

---

## Section: 1.3.1.17.5

Name:	masterAirWaybillPartIndicator
Full Path:	abiStatusQueryResponse.boLevelDetails.boLevelDetail.airBoiDetails.masterAirWaybillPartIndicator
Type:	String Value
Is Required?:	No
Minimum Length:	
Maximum Length:	

### Sample JSON:

```
"masterAirWaybillPartIndicator": "U"
```

### Description:

---

## Section: 1.3.1.17.6

Name:	masterAirWaybillManifestQuantity
Full Path:	abiStatusQueryResponse.boLevelDetails.boLevelDetail.airBoiDetails.masterAirWaybillManifestQuantity
Type:	Numeric Value
Is Required?:	No

### Sample JSON:

```
"masterAirWaybillManifestQuantity": 4
```

### Description:

---

## Section: 1.3.1.17.7

Name:	masterAirWaybillBoardedQuantity
Full Path:	abiStatusQueryResponse.boLevelDetails.boLevelDetail.airBoiDetails.masterAirWaybillBoardedQuantity
Type:	Numeric Value
Is Required?:	No

### Sample JSON:

```
"masterAirWaybillBoardedQuantity": 4
```

### Description:

---

## Section: 1.3.1.17.8

Name:	houseAirWaybillNumber
Full Path:	abiStatusQueryResponse.boLevelDetails.boLevelDetail.airBoIDetails.houseAirWaybillNumber
Type:	String Value
Is Required?:	No
Minimum Length:	
Maximum Length:	

### Sample JSON:

```
"houseAirWaybillNumber": "123456789"
```

### Description:

---

## Section: 1.3.1.17.9

Name:	houseAirWaybillPartIndicator
Full Path:	abiStatusQueryResponse.boLevelDetails.boLevelDetail.airBoIdDetails.houseAirWaybillPartIndicator
Type:	String Value
Is Required?:	No
Minimum Length:	
Maximum Length:	

### Sample JSON:

```
"houseAirWaybillPartIndicator": "U"
```

### Description:

---

## Section: 1.3.1.17.10

Name:	houseAirWaybillManifestQuantity
Full Path:	abiStatusQueryResponse.boLevelDetails.boLevelDetail.airBoIDetails.houseAirWaybillManifestQuantity
Type:	Numeric Value
Is Required?:	No

### Sample JSON:

```
"houseAirWaybillManifestQuantity": 4
```

### Description:



---

## Section: 1.3.1.17.11

Name:	houseAirWaybillBoardedQuantity
Full Path:	abiStatusQueryResponse.boLevelDetails.boLevelDetail.airBoIDetails.houseAirWaybillBoardedQuantity
Type:	Numeric Value
Is Required?:	No

### Sample JSON:

```
"houseAirWaybillBoardedQuantity": 4
```

### Description:

---

## Section: 1.3.1.17.12

Name:	dispositionActions
Full Path:	abiStatusQueryResponse.boiLevelDetails.boiLevelDetail.airBoiDetails.dispositionActions
Type:	Array<JsonObject>
Is Required?:	No

### Sample JSON:

```
[
  {
    "dispositionActionDate": "2023-01-02 13:50:00",
    "dispositionCode": "1A",
    "narrativeMessage": "Entered and released general examination.",
    "inBondOrEntryNumber": "123456789"
  }
]
```

### Description:

---

## Section: 1.3.1.17.12.1

Name:	dispositionAction
Full Path:	abiStatusQueryResponse.boLevelDetails.boLevelDetail.airBoLevelDetails.dispositionActions.dispositionAction
Type:	Object
Is Required?:	No

### Sample JSON:

```
{
  "dispositionActionDate": "2023-01-02 13:50:00",
  "dispositionCode": "1A",
  "narrativeMessage": "Entered and released general examination.",
  "inBondOrEntryNumber": "123456789"
}
```

### Description:

---

## Section: 1.3.1.18

Name:	masterBillAmendedQuantity
Full Path:	abiStatusQueryResponse.boLevelDetails.boLevelDetail.masterBillAmendedQuantity
Type:	Numeric Value
Is Required?:	Yes

### Sample JSON:

```
"masterBillAmendedQuantity": 5
```

### Description:

---

## Section: 1.3.1.19

Name:	houseBillAmendedQuantity
Full Path:	abiStatusQueryResponse.boLevelDetails.boLevelDetail.houseBillAmendedQuantity
Type:	Numeric Value
Is Required?:	Yes

### Sample JSON:

```
"houseBillAmendedQuantity": 10
```

### Description:

---

## Section: 1.3.1.20

Name:	quotedPortLevelEntryNumber
Full Path:	abiStatusQueryResponse.boLevelDetails.boLevelDetail.quotedPortLevelEntryNumber
Type:	String Value
Is Required?:	No
Minimum Length:	
Maximum Length:	

### Sample JSON:

```
"quotedPortLevelEntryNumber": "123456789"
```

### Description:

---

## Section: 1.3.1.21

Name:	manifestPortOfUnladingOrImport
Full Path:	abiStatusQueryResponse.boLevelDetails.boLevelDetail.manifestPortOfUnladingOrImport
Type:	String Value
Is Required?:	No
Minimum Length:	
Maximum Length:	

### Sample JSON:

```
"manifestPortOfUnladingOrImport": "3801"
```

### Description:

---

## Section: 1.3.1.22

Name:	actualPortOfUnladingOrImport
Full Path:	abiStatusQueryResponse.boLevelDetails.boLevelDetail.actualPortOfUnladingOrImport
Type:	String Value
Is Required?:	No
Minimum Length:	
Maximum Length:	

### Sample JSON:

```
"actualPortOfUnladingOrImport": "3801"
```

### Description:



---

### Section: 1.3.1.23

Name: actualPortOfUnladingOrImportOceanDiversio  
Full Path: abiStatusQueryResponse.boLevelDetails.boLevelDetail.actualPortOfUnladingOr  
importOceanDiversio  
Type: String Value  
Is Required?: No  
Minimum Length:  
Maximum Length:

#### Sample JSON:

```
"actualPortOfUnladingOrImportOceanDiversio": "3801"
```

#### Description:

---

## Section: 1.3.1.24

Name:	inBondOriginatingPort
Full Path:	abiStatusQueryResponse.boLevelDetails.boLevelDetail.inBondOriginatingPort
Type:	String Value
Is Required?:	No
Minimum Length:	
Maximum Length:	

### Sample JSON:

```
"inBondOriginatingPort": "3801"
```

### Description:

---

## Section: 1.3.1.25

Name:	manifestDestinationPort
Full Path:	abiStatusQueryResponse.boLevelDetails.boLevelDetail.manifestDestinationPort
Type:	String Value
Is Required?:	No
Minimum Length:	
Maximum Length:	

### Sample JSON:

```
"manifestDestinationPort": "3801"
```

### Description:

---

## Section: 1.3.1.26

Name:	actualDestinationPortManualDiversio
Full Path:	abiStatusQueryResponse.boLevelDetails.boLevelDetail.actualDestinationPortManualDiversio
Type:	String Value
Is Required?:	No
Minimum Length:	
Maximum Length:	

### Sample JSON:

```
"actualDestinationPortManualDiversio": "3801"
```

### Description:

---

## Section: 1.3.1.27

Name:	actualDestinationPortEdiDiversion
Full Path:	abiStatusQueryResponse.boLevelDetails.boLevelDetail.actualDestinationPortEdiDiversion
Type:	String Value
Is Required?:	No
Minimum Length:	
Maximum Length:	

### Sample JSON:

```
"actualDestinationPortEdiDiversion": "3801"
```

### Description:

---

## Section: 1.3.1.28

Name:	vesselDeparturePort
Full Path:	abiStatusQueryResponse.boiLevelDetails.boiLevelDetail.vesselDeparturePort
Type:	String Value
Is Required?:	No
Minimum Length:	
Maximum Length:	

### Sample JSON:

```
"vesselDeparturePort": "3801"
```

### Description:

---

## Section: 1.3.1.29

Name:	vesselDepartureDate
Full Path:	abiStatusQueryResponse.boiLevelDetails.boiLevelDetail.vesselDepartureDate
Type:	String Value
Is Required?:	No
Minimum Length:	
Maximum Length:	

### Sample JSON:

```
"vesselDepartureDate": "2023-01-02 13:50:00"
```

### Description:

---

## Section: 1.3.1.30

Name:	containerLoadPort
Full Path:	abiStatusQueryResponse.boiLevelDetails.boiLevelDetail.containerLoadPort
Type:	String Value
Is Required?:	No
Minimum Length:	
Maximum Length:	

### Sample JSON:

```
"containerLoadPort": "3801"
```

### Description:



---

### Section: 1.3.1.31

Name:	containerLoadDate
Full Path:	abiStatusQueryResponse.boiLevelDetails.boiLevelDetail.containerLoadDate
Type:	String Value
Is Required?:	No
Minimum Length:	
Maximum Length:	

#### Sample JSON:

```
"containerLoadDate": "2023-01-02 13:50:00"
```

#### Description:

---

## Section: 1.3.1.32

Name:	subsequentInBondNumber
Full Path:	abiStatusQueryResponse.boLevelDetails.boLevelDetail.subsequentInBondNumber
Type:	String Value
Is Required?:	No
Minimum Length:	
Maximum Length:	

### Sample JSON:

```
"subsequentInBondNumber": "123456789"
```

### Description:

---

### Section: 1.3.1.33

Name:	previousInBondNumber
Full Path:	abiStatusQueryResponse.boiLevelDetails.boiLevelDetail.previousInBondNumber
Type:	String Value
Is Required?:	No
Minimum Length:	
Maximum Length:	

#### Sample JSON:

```
"previousInBondNumber": "123456789"
```

#### Description:

---

## Section: 1.4

Name:	error
Full Path:	abiStatusQueryResponse.error
Type:	Object
Is Required?:	No

### Sample JSON:

```
"error": {  
  "code": "123",  
  "message": "INBOND NBR NOT ON FILE"  
}
```

### Description:

---

## Section: 1.4.1

Name:	code
Full Path:	abiStatusQueryResponse.error.code
Type:	String Value
Is Required?:	No
Minimum Length:	
Maximum Length:	

### Sample JSON:

```
"code": "123"
```

### Description:

---

## Section: 1.4.2

Name: message  
Full Path: abiStatusQueryResponse.error.message  
Type: String Value  
Is Required?: No  
Minimum Length:  
Maximum Length:

### Sample JSON:

```
"message": "INBOND NBR NOT ON FILE"
```

### Description:

---

## Section: 1.5

Name:	carrierScac
Full Path:	abiStatusQueryResponse.carrierScac
Type:	String Value
Is Required?:	No
Minimum Length:	
Maximum Length:	

### Sample JSON:

```
"carrierScac": "ABCD"
```

### Description:

---

## Section: 1.6

Name: importingVesselOrConveyanceName  
Full Path: abiStatusQueryResponse.importingVesselOrConveyanceName  
Type: String Value  
Is Required?: No  
Minimum Length:  
Maximum Length:

### Sample JSON:

```
"importingVesselOrConveyanceName": "123"
```

### Description:



---

## Section: 1.7

Name:	voyageFlightOrTripNumber
Full Path:	abiStatusQueryResponse.voyageFlightOrTripNumber
Type:	String Value
Is Required?:	No
Minimum Length:	
Maximum Length:	

### Sample JSON:

```
"voyageFlightOrTripNumber": "12345"
```

### Description:

---

## Section: 1.8

Name:	estimatedDateOfArrival
Full Path:	abiStatusQueryResponse.estimatedDateOfArrival
Type:	String Value
Is Required?:	No
Minimum Length:	
Maximum Length:	

### Sample JSON:

```
"estimatedDateOfArrival": "2023-01-01 13:50:00"
```

### Description:

---

## Section: 1.9

Name:	abiQueryStatus
Full Path:	abiStatusQueryResponse.abiQueryStatus
Type:	String Value
Is Required?:	No
Minimum Length:	
Maximum Length:	

### Sample JSON:

```
"abiQueryStatus": "AR"
```

### Description:

---

## Section: 1.10

Name:	inBondArrivalDate
Full Path:	abiStatusQueryResponse.inBondArrivalDate
Type:	String Value
Is Required?:	No
Minimum Length:	
Maximum Length:	

### Sample JSON:

```
"inBondArrivalDate": "2023-01-02 13:50:00"
```

### Description:

---

## Section: 1.11

Name: inBondExportDate  
Full Path: abiStatusQueryResponse.inBondExportDate  
Type: String Value  
Is Required?: No  
Minimum Length:  
Maximum Length:

### Sample JSON:

```
"inBondExportDate": "2023-01-02 13:50:00"
```

### Description:

---

## Section: 1.12

Name:	inBondType
Full Path:	abiStatusQueryResponse.inBondType
Type:	Object
Is Required?:	No

### Sample JSON:

```
"inBondType": {  
  "code": "61",  
  "longDescription": "Immediate Transportation"  
}
```

### Description:

---

## Section: 1.12.1

Name:	code
Full Path:	abiStatusQueryResponse.inBondType.code
Type:	String Value
Is Required?:	No
Minimum Length:	
Maximum Length:	

### Sample JSON:

```
"code": "61"
```

### Description:

---

## Section: 1.12.2

Name:	longDescription
Full Path:	abiStatusQueryResponse.inBondType.longDescription
Type:	String Value
Is Required?:	No
Minimum Length:	
Maximum Length:	

### Sample JSON:

```
"longDescription": "Immediate Transportation"
```

### Description:



---

## Section: 1.13

Name:	isUpdated
Full Path:	abiStatusQueryResponse.isUpdated
Type:	Boolean Value
Is Required?:	No

### Sample JSON:

```
"isUpdated": true
```

### Description:

---

## Section: 1.14

Name:	quotedBondLevelEntryNumber
Full Path:	abiStatusQueryResponse.quotedBondLevelEntryNumber
Type:	String Value
Is Required?:	No
Minimum Length:	
Maximum Length:	

### Sample JSON:

```
"quotedBondLevelEntryNumber": "123456789"
```

### Description:

---

## Section: 1.15

Name:	manifestPortOfUnladingOrImport
Full Path:	abiStatusQueryResponse.manifestPortOfUnladingOrImport
Type:	Object
Is Required?:	No

### Sample JSON:

```
"manifestPortOfUnladingOrImport": {  
  "code": "3801",  
  "portOfEntry": "Detroit, MI"  
}
```

### Description:

---

## Section: 1.15.1

Name:	code
Full Path:	abiStatusQueryResponse.manifestPortOfUnladingOrImport.code
Type:	String Value
Is Required?:	Yes
Minimum Length:	
Maximum Length:	

### Sample JSON:

```
"code": "3801"
```

### Description:

---

## Section: 1.15.2

Name:	portOfEntry
Full Path:	abiStatusQueryResponse.manifestPortOfUnladingOrImport.portOfEntry
Type:	String Value
Is Required?:	Yes
Minimum Length:	
Maximum Length:	

### Sample JSON:

```
"portOfEntry": "Detroit, MI"
```

### Description:

---

## Section: 1.16

Name:	actualPortOfUnladingOrImport
Full Path:	abiStatusQueryResponse.actualPortOfUnladingOrImport
Type:	Object
Is Required?:	No

### Sample JSON:

```
"actualPortOfUnladingOrImport": {  
  "code": "3801",  
  "portOfEntry": "Detroit, MI"  
}
```

### Description:

---

## Section: 1.16.1

Name:	code
Full Path:	abiStatusQueryResponse.actualPortOfUnladingOrImport.code
Type:	String Value
Is Required?:	Yes
Minimum Length:	
Maximum Length:	

### Sample JSON:

```
"code": "3801"
```

### Description:

---

## Section: 1.16.2

Name:	portOfEntry
Full Path:	abiStatusQueryResponse.actualPortOfUnladingOrImport.portOfEntry
Type:	String Value
Is Required?:	Yes
Minimum Length:	
Maximum Length:	

### Sample JSON:

```
"portOfEntry": "Detroit, MI"
```

### Description:



---

## Section: 1.17

Name:	actualPortOfUnladingOrImportOceanDiversion
Full Path:	abiStatusQueryResponse.actualPortOfUnladingOrImportOceanDiversion
Type:	Object
Is Required?:	No

### Sample JSON:

```
"actualPortOfUnladingOrImportOceanDiversion": {  
  "code": "3801",  
  "portOfEntry": "Detroit, MI"  
}
```

### Description:

---

## Section: 1.17.1

Name:	code
Full Path:	abiStatusQueryResponse.actualPortOfUnladingOrImportOceanDiversion.code
Type:	String Value
Is Required?:	Yes
Minimum Length:	
Maximum Length:	

### Sample JSON:

```
"code": "3801"
```

### Description:

---

## Section: 1.17.2

Name:	portOfEntry
Full Path:	abiStatusQueryResponse.actualPortOfUnladingOrImportOceanDiversion.portOfEntry
Type:	String Value
Is Required?:	Yes
Minimum Length:	
Maximum Length:	

### Sample JSON:

```
"portOfEntry": "Detroit, MI"
```

### Description:

---

## Section: 1.18

Name:	inBondOriginatingPort
Full Path:	abiStatusQueryResponse.inBondOriginatingPort
Type:	Object
Is Required?:	No

### Sample JSON:

```
"inBondOriginatingPort": {  
  "code": "3801",  
  "portOfEntry": "Detroit, MI"  
}
```

### Description:

---

## Section: 1.18.1

Name:	code
Full Path:	abiStatusQueryResponse.inBondOriginatingPort.code
Type:	String Value
Is Required?:	Yes
Minimum Length:	
Maximum Length:	

### Sample JSON:

```
"code": "3801"
```

### Description:

---

## Section: 1.18.2

Name:	portOfEntry
Full Path:	abiStatusQueryResponse.inBondOriginatingPort.portOfEntry
Type:	String Value
Is Required?:	Yes
Minimum Length:	
Maximum Length:	

### Sample JSON:

```
"portOfEntry": "Detroit, MI"
```

### Description:

---

## Section: 1.19

Name:	manifestDestinationPort
Full Path:	abiStatusQueryResponse.manifestDestinationPort
Type:	Object
Is Required?:	No

### Sample JSON:

```
"manifestDestinationPort": {  
  "code": "3801",  
  "portOfEntry": "Detroit, MI"  
}
```

### Description:

---

## Section: 1.19.1

Name:	code
Full Path:	abiStatusQueryResponse.manifestDestinationPort.code
Type:	String Value
Is Required?:	Yes
Minimum Length:	
Maximum Length:	

### Sample JSON:

```
"code": "3801"
```

### Description:



---

## Section: 1.19.2

Name:	portOfEntry
Full Path:	abiStatusQueryResponse.manifestDestinationPort.portOfEntry
Type:	String Value
Is Required?:	Yes
Minimum Length:	
Maximum Length:	

### Sample JSON:

```
"portOfEntry": "Detroit, MI"
```

### Description:

---

## Section: 1.20

Name:	actualDestinationPortManualDiversio
Full Path:	abiStatusQueryResponse.actualDestinationPortManualDiversio
Type:	Object
Is Required?:	No

### Sample JSON:

```
"actualDestinationPortManualDiversio": {  
  "code": "3801",  
  "portOfEntry": "Detroit, MI"  
}
```

### Description:

---

## Section: 1.20.1

Name:	code
Full Path:	abiStatusQueryResponse.actualDestinationPortManualDiversion.code
Type:	String Value
Is Required?:	Yes
Minimum Length:	
Maximum Length:	

### Sample JSON:

```
"code": "3801"
```

### Description:

---

## Section: 1.20.2

Name:	portOfEntry
Full Path:	abiStatusQueryResponse.actualDestinationPortManualDiversion.portOfEntry
Type:	String Value
Is Required?:	Yes
Minimum Length:	
Maximum Length:	

### Sample JSON:

```
"portOfEntry": "Detroit, MI"
```

### Description:

---

## Section: 1.21

Name:	actualDestinationPortEdiDiversion
Full Path:	abiStatusQueryResponse.actualDestinationPortEdiDiversion
Type:	Object
Is Required?:	No

### Sample JSON:

```
"actualDestinationPortEdiDiversion": {  
  "code": "3801",  
  "portOfEntry": "Detroit, MI"  
}
```

### Description:

---

## Section: 1.21.1

Name:	code
Full Path:	abiStatusQueryResponse.actualDestinationPortEdiDiversion.code
Type:	String Value
Is Required?:	Yes
Minimum Length:	
Maximum Length:	

### Sample JSON:

```
"code": "3801"
```

### Description:

---

## Section: 1.21.2

Name:	portOfEntry
Full Path:	abiStatusQueryResponse.actualDestinationPortEdiDiversio
Type:	String Value
Is Required?:	Yes
Minimum Length:	
Maximum Length:	

### Sample JSON:

```
"portOfEntry": "Detroit, MI"
```

### Description:

---

## Section: 1.22

Name:	vesselDeparturePort
Full Path:	abiStatusQueryResponse.vesselDeparturePort
Type:	Object
Is Required?:	No

### Sample JSON:

```
"vesselDeparturePort": {  
  "code": "3801",  
  "portOfEntry": "Detroit, MI"  
}
```

### Description:



---

## Section: 1.22.1

Name:	code
Full Path:	abiStatusQueryResponse.vesselDeparturePort.code
Type:	String Value
Is Required?:	Yes
Minimum Length:	
Maximum Length:	

### Sample JSON:

```
"code": "3801"
```

### Description:

---

## Section: 1.22.2

Name:	portOfEntry
Full Path:	abiStatusQueryResponse.vesselDeparturePort.portOfEntry
Type:	String Value
Is Required?:	Yes
Minimum Length:	
Maximum Length:	

### Sample JSON:

```
"portOfEntry": "Detroit, MI"
```

### Description:

---

## Section: 1.23

Name:	vesselDepartureDate
Full Path:	abiStatusQueryResponse.vesselDepartureDate
Type:	String Value
Is Required?:	No
Minimum Length:	
Maximum Length:	

### Sample JSON:

```
"vesselDepartureDate": "2023-01-02 13:50:00"
```

### Description:

---

## Section: 1.24

Name:	containerLoadPort
Full Path:	abiStatusQueryResponse.containerLoadPort
Type:	String Value
Is Required?:	No
Minimum Length:	
Maximum Length:	

### Sample JSON:

```
"containerLoadPort": "3801"
```

### Description:

---

## Section: 1.25

Name:	containerLoadDate
Full Path:	abiStatusQueryResponse.containerLoadDate
Type:	String Value
Is Required?:	No
Minimum Length:	
Maximum Length:	

### Sample JSON:

```
"containerLoadDate": "2023-01-02 13:50:00"
```

### Description:

---

## Section: 1.26

Name:	motTruckTripNumber
Full Path:	abiStatusQueryResponse.motTruckTripNumber
Type:	String Value
Is Required?:	No
Minimum Length:	
Maximum Length:	

### Sample JSON:

```
"motTruckTripNumber": "55555"
```

### Description:

---

## Section: 1.27

Name:	firmsCode
Full Path:	abiStatusQueryResponse.firmsCode
Type:	String Value
Is Required?:	No
Minimum Length:	
Maximum Length:	

### Sample JSON:

```
"firmsCode": "5555"
```

### Description: