

QP In-Bond Manual

1.0.0

Section: 1.1

Name: data
Full Path: qpInBond.data
Type: String Value
Is Required?: No
Minimum Length:
Maximum Length:

Sample JSON:

```
"data": "QP_IN_BOND"
```

Description:

Section: 1.2

Name:	filerCode
Full Path:	qpInBond.filerCode
Type:	String Value
Is Required?:	No
Minimum Length:	
Maximum Length:	

Sample JSON:

```
"filerCode": "ZZZ"
```

Description:

Section: 1.3

Name:	filerPort
Full Path:	qpInBond.filerPort
Type:	String Value
Is Required?:	No
Minimum Length:	
Maximum Length:	

Sample JSON:

```
"filerPort": "3801"
```

Description:

Section: 1.4

Name:	entryNumber
Full Path:	qpInBond.entryNumber
Type:	String Value
Is Required?:	No
Minimum Length:	
Maximum Length:	

Sample JSON:

```
"entryNumber": "123456789"
```

Description:

Section: 1.5

Name:	previousEntryNumber
Full Path:	qpInBond.previousEntryNumber
Type:	String Value
Is Required?:	No
Minimum Length:	
Maximum Length:	

Sample JSON:

```
"previousEntryNumber": "123456788"
```

Description:

Section: 1.6

Name:	entryType
Full Path:	qpInBond.entryType
Type:	String Value
Is Required?:	No
Minimum Length:	
Maximum Length:	

Sample JSON:

```
"entryType": "61"
```

Description:

Section: 1.7

Name:	bondedCarrierId
Full Path:	qpInBond.bondedCarrierId
Type:	String Value
Is Required?:	No
Minimum Length:	
Maximum Length:	

Sample JSON:

```
"bondedCarrierId": "123456789"
```

Description:

Section: 1.8

Name:	inBondCarrierCode
Full Path:	qpInBond.inBondCarrierCode
Type:	String Value
Is Required?:	No
Minimum Length:	
Maximum Length:	

Sample JSON:

```
"inBondCarrierCode": "ABCD"
```

Description:

Section: 1.9

Name:	usInBondDestination
Full Path:	qpInBond.usInBondDestination
Type:	String Value
Is Required?:	No
Minimum Length:	
Maximum Length:	

Sample JSON:

```
"usInBondDestination": "3802"
```

Description:

Section: 1.10

Name:	portOfEntry
Full Path:	qpInBond.portOfEntry
Type:	String Value
Is Required?:	No
Minimum Length:	
Maximum Length:	

Sample JSON:

```
"portOfEntry": "3801"
```

Description:

Section: 1.11

Name:	foreignInBondDestination
Full Path:	qpInBond.foreignInBondDestination
Type:	String Value
Is Required?:	No
Minimum Length:	
Maximum Length:	

Sample JSON:

```
"foreignInBondDestination": "3801"
```

Description:

Section: 1.12

Name:	estimatedDateOfEntry
Full Path:	qpInBond.estimatedDateOfEntry
Type:	String Value
Is Required?:	No
Minimum Length:	
Maximum Length:	

Sample JSON:

```
"estimatedDateOfEntry": "2023-01-01 01:01:01"
```

Description:

Section: 1.13

Name:	value
Full Path:	qpInBond.value
Type:	Numeric Value
Is Required?:	Yes

Sample JSON:

```
"value": 100
```

Description:

Section: 1.14

Name:	importingConveyanceName
Full Path:	qpInBond.importingConveyanceName
Type:	String Value
Is Required?:	No
Minimum Length:	
Maximum Length:	

Sample JSON:

```
"importingConveyanceName": "Big John"
```

Description:

Section: 1.15

Name:	voyageFlightOrTripNumber
Full Path:	qpInBond.voyageFlightOrTripNumber
Type:	String Value
Is Required?:	No
Minimum Length:	
Maximum Length:	

Sample JSON:

```
"voyageFlightOrTripNumber": "123456"
```

Description:

Section: 1.16

Name:	ftzOrBondedWarehouseRemoval
Full Path:	qpInBond.ftzOrBondedWarehouseRemoval
Type:	Boolean Value
Is Required?:	Yes

Sample JSON:

```
"ftzOrBondedWarehouseRemoval": false
```

Description:

Section: 1.17

Name:	fdaReportingRequired
Full Path:	qpInBond.fdaReportingRequired
Type:	Boolean Value
Is Required?:	Yes

Sample JSON:

```
"fdaReportingRequired": false
```

Description:

Section: 1.18

Name:	dateOfSailing
Full Path:	qpInBond.dateOfSailing
Type:	String Value
Is Required?:	No
Minimum Length:	
Maximum Length:	

Sample JSON:

```
"dateOfSailing": "2023-01-01 01:01:01"
```

Description:

Section: 1.19

Name:	dateOfExport
Full Path:	qpInBond.dateOfExport
Type:	String Value
Is Required?:	No
Minimum Length:	
Maximum Length:	

Sample JSON:

```
"dateOfExport": "2023-01-01 01:01:01"
```

Description:

Section: 1.20

Name:	importerName
Full Path:	qpInBond.importerName
Type:	String Value
Is Required?:	No
Minimum Length:	
Maximum Length:	

Sample JSON:

```
"importerName": "Big John Importing"
```

Description:

Section: 1.21

Name:	importerIrsNumber
Full Path:	qpInBond.importerIrsNumber
Type:	String Value
Is Required?:	No
Minimum Length:	
Maximum Length:	

Sample JSON:

```
"importerIrsNumber": "1234535"
```

Description:

Section: 1.22

Name:	previousInBondPort
Full Path:	qpInBond.previousInBondPort
Type:	String Value
Is Required?:	No
Minimum Length:	
Maximum Length:	

Sample JSON:

```
"previousInBondPort": "4000"
```

Description:

Section: 1.23

Name:	previousInBondDate
Full Path:	qpInBond.previousInBondDate
Type:	String Value
Is Required?:	No
Minimum Length:	
Maximum Length:	

Sample JSON:

```
"previousInBondDate": "2023-01-01 01:01:01"
```

Description:

Section: 1.24

Name:	importingCarrier
Full Path:	qpInBond.importingCarrier
Type:	Object
Is Required?:	Yes

Sample JSON:

```
"importingCarrier": {  
  "name": "Bob's Importing",  
  "scacCode": "AAAA",  
  "airCarrierCode": "12345",  
  "modeOfTransport": "30",  
  "country": "CA"  
}
```

Description:

Section: 1.24.1

Name:	name
Full Path:	qpInBond.importingCarrier.name
Type:	String Value
Is Required?:	No
Minimum Length:	
Maximum Length:	

Sample JSON:

```
"name": "Bob's Importing"
```

Description:

Section: 1.24.2

Name:	scacCode
Full Path:	qpInBond.importingCarrier.scacCode
Type:	String Value
Is Required?:	No
Minimum Length:	
Maximum Length:	

Sample JSON:

```
"scacCode": "AAAA"
```

Description:

Section: 1.24.3

Name:	airCarrierCode
Full Path:	qpInBond.importingCarrier.airCarrierCode
Type:	String Value
Is Required?:	No
Minimum Length:	
Maximum Length:	

Sample JSON:

```
"airCarrierCode": "12345"
```

Description:

Section: 1.24.4

Name:	modeOfTransport
Full Path:	qpInBond.importingCarrier.modeOfTransport
Type:	String Value
Is Required?:	No
Minimum Length:	
Maximum Length:	

Sample JSON:

```
"modeOfTransport": "30"
```

Description:

Section: 1.24.5

Name:	country
Full Path:	qpInBond.importingCarrier.country
Type:	String Value
Is Required?:	No
Minimum Length:	
Maximum Length:	

Sample JSON:

```
"country": "CA"
```

Description:

Section: 1.25

Name:	firmsCode
Full Path:	qpInBond.firmsCode
Type:	String Value
Is Required?:	No
Minimum Length:	
Maximum Length:	

Sample JSON:

```
"firmsCode": "A111"
```

Description:

Section: 1.26

Name: secondaryNotifyParties
Full Path: qpInBond.secondaryNotifyParties
Type: Array<JsonObject>
Is Required?: Yes

Sample JSON:

```
[
  {
    "carrierCode": "AAAA",
    "filerCode": "000",
    "portIdentifier": "4040",
    "firmsCode": {
      "number": "A111",
      "name": "Joe's Facility"
    }
  }
]
```

Description:

Section: 1.26.1

Name:	secondaryNotifyParty
Full Path:	qpInBond.secondaryNotifyParties.secondaryNotifyParty
Type:	Object
Is Required?:	Yes

Sample JSON:

```
{
  "carrierCode": "AAAA",
  "filerCode": "000",
  "portIdentifier": "4040",
  "firmsCode": {
    "number": "A111",
    "name": "Joe's Facility"
  }
}
```

Description:

Section: 1.26.1.1

Name:	carrierCode
Full Path:	qpInBond.secondaryNotifyParties.secondaryNotifyParty.carrierCode
Type:	String Value
Is Required?:	No
Minimum Length:	
Maximum Length:	

Sample JSON:

```
"carrierCode": "AAAA"
```

Description:

Section: 1.26.1.2

Name:	filerCode
Full Path:	qpInBond.secondaryNotifyParties.secondaryNotifyParty.filerCode
Type:	String Value
Is Required?:	No
Minimum Length:	
Maximum Length:	

Sample JSON:

```
"filerCode": "000"
```

Description:

Section: 1.26.1.3

Name:	portIdentifier
Full Path:	qpInBond.secondaryNotifyParties.secondaryNotifyParty.portIdentifier
Type:	String Value
Is Required?:	No
Minimum Length:	
Maximum Length:	

Sample JSON:

```
"portIdentifier": "4040"
```

Description:

Section: 1.26.1.4

Name:	firmsCode
Full Path:	qpInBond.secondaryNotifyParties.secondaryNotifyParty.firmsCode
Type:	Object
Is Required?:	No

Sample JSON:

```
"firmsCode": {  
  "number": "A111",  
  "name": "Joe's Facility"  
}
```

Description:

Section: 1.26.1.4.1

Name:	number
Full Path:	qpInBond.secondaryNotifyParties.secondaryNotifyParty.firmsCode.number
Type:	String Value
Is Required?:	Yes
Minimum Length:	
Maximum Length:	

Sample JSON:

```
"number": "A111"
```

Description:

Section: 1.26.1.4.2

Name:	name
Full Path:	qpInBond.secondaryNotifyParties.secondaryNotifyParty.firmsCode.name
Type:	String Value
Is Required?:	Yes
Minimum Length:	
Maximum Length:	

Sample JSON:

```
"name": "Joe's Facility"
```

Description:

Section: 1.27

Name:	containers
Full Path:	qpInBond.containers
Type:	Array<JsonObject>
Is Required?:	Yes

Sample JSON:

```
[
  {
    "number": "987654321",
    "type": "G0",
    "sealNumber1": "4321",
    "sealNumber2": "8765"
  }
]
```

Description:

Section: 1.27.1

Name:	container
Full Path:	qpInBond.containers.container
Type:	Object
Is Required?:	Yes

Sample JSON:

```
{  
  "number": "987654321",  
  "type": "G0",  
  "sealNumber1": "4321",  
  "sealNumber2": "8765"  
}
```

Description:

Section: 1.27.1.1

Name:	number
Full Path:	qpInBond.containers.container.number
Type:	String Value
Is Required?:	No
Minimum Length:	
Maximum Length:	

Sample JSON:

```
"number": "987654321"
```

Description:

Section: 1.27.1.2

Name:	type
Full Path:	qpInBond.containers.container.type
Type:	String Value
Is Required?:	No
Minimum Length:	
Maximum Length:	

Sample JSON:

```
"type": "GO"
```

Description:

Section: 1.27.1.3

Name:	sealNumber1
Full Path:	qpInBond.containers.container.sealNumber1
Type:	String Value
Is Required?:	No
Minimum Length:	
Maximum Length:	

Sample JSON:

```
"sealNumber1": "4321"
```

Description:

Section: 1.27.1.4

Name:	sealNumber2
Full Path:	qpInBond.containers.container.sealNumber2
Type:	String Value
Is Required?:	No
Minimum Length:	
Maximum Length:	

Sample JSON:

```
"sealNumber2": "8765"
```

Description:

Section: 1.28

Name:	billOfLadingList
Full Path:	qpInBond.billOfLadingList
Type:	Array<JsonObject>
Is Required?:	Yes

Sample JSON:

```
[{}]
```

Description:

Section: 1.28.1

Name:	billOfLading
Full Path:	qpInBond.billOfLadingList.billOfLading
Type:	Object
Is Required?:	Yes

Sample JSON:

```
{
```

Description:

Section: 1.28.1.1

Name:	carrierCode
Full Path:	qpInBond.billOfLadingList.billOfLading.carrierCode
Type:	String Value
Is Required?:	No
Minimum Length:	
Maximum Length:	

Sample JSON:

```
"carrierCode": "AAAA"
```

Description:

Section: 1.28.1.2

Name:	billNumber
Full Path:	qpInBond.billOfLadingList.billOfLading.billNumber
Type:	String Value
Is Required?:	No
Minimum Length:	
Maximum Length:	

Sample JSON:

```
"billNumber": "123456"
```

Description:

Section: 1.28.1.3

Name:	noScacMasterBillNumber
Full Path:	qpInBond.billOfLadingList.billOfLading.noScacMasterBillNumber
Type:	String Value
Is Required?:	No
Minimum Length:	
Maximum Length:	

Sample JSON:

```
"noScacMasterBillNumber": "12345"
```

Description:

Section: 1.28.1.4

Name:	houseBillCarrierCode
Full Path:	qpInBond.billOfLadingList.billOfLading.houseBillCarrierCode
Type:	String Value
Is Required?:	No
Minimum Length:	
Maximum Length:	

Sample JSON:

```
"houseBillCarrierCode": "44556"
```

Description:

Section: 1.28.1.5

Name:	simpleHouseBillNumber
Full Path:	qpInBond.billOfLadingList.billOfLading.simpleHouseBillNumber
Type:	String Value
Is Required?:	No
Minimum Length:	
Maximum Length:	

Sample JSON:

```
"simpleHouseBillNumber": "5566"
```

Description:

Section: 1.28.1.6

Name:	partialBillQuantity
Full Path:	qpInBond.billOfLadingList.billOfLading.partialBillQuantity
Type:	Numeric Value
Is Required?:	Yes

Sample JSON:

```
"partialBillQuantity": 10
```

Description:

Section: 1.28.1.7

Name:	foreignPortOfLading
Full Path:	qpInBond.billOfLadingList.billOfLading.foreignPortOfLading
Type:	String Value
Is Required?:	No
Minimum Length:	
Maximum Length:	

Sample JSON:

```
"foreignPortOfLading": "3801"
```

Description:

Section: 1.28.1.8

Name:	placeOfPreReceipt
Full Path:	qpInBond.billOfLadingList.billOfLading.placeOfPreReceipt
Type:	String Value
Is Required?:	No
Minimum Length:	
Maximum Length:	

Sample JSON:

```
"placeOfPreReceipt": "Toronto, ON"
```

Description:

Section: 1.28.1.9

Name:	grossWeight
Full Path:	qpInBond.billOfLadingList.billOfLading.grossWeight
Type:	Numeric Value
Is Required?:	Yes

Sample JSON:

```
"grossWeight": 1
```

Description:

Section: 1.28.1.10

Name:	grossWeightUnit
Full Path:	qpInBond.billOfLadingList.billOfLading.grossWeightUnit
Type:	String Value
Is Required?:	No
Minimum Length:	
Maximum Length:	

Sample JSON:

```
"grossWeightUnit": "KG"
```

Description:

Section: 1.28.1.11

Name:	isReferenceOnly
Full Path:	qpInBond.billOfLadingList.billOfLading.isReferenceOnly
Type:	Boolean Value
Is Required?:	Yes

Sample JSON:

```
"isReferenceOnly": false
```

Description:

Section: 1.28.1.12

Name: additionalInfoReferences
Full Path: qpInBond.billOfLadingList.billOfLading.additionalInfoReferences
Type: Array<JsonObject>
Is Required?: Yes

Sample JSON:

```
[  
  {  
    "typeQualifier": "BM",  
    "reference": "4455676"  
  }  
]
```

Description:

Section: 1.28.1.12.1

Name:	additionalInfoReference
Full Path:	qpInBond.billOfLadingList.billOfLading.additionalInfoReferences.additionalInfoReference
Type:	Object
Is Required?:	Yes

Sample JSON:

```
{  
  "typeQualifier": "BM",  
  "reference": "4455676"  
}
```

Description:

Section: 1.28.1.12.1.1

Name:	typeQualifier
Full Path:	qpInBond.billOfLadingList.billOfLading.additionalInfoReferences.additionalInfoReference.typeQualifier
Type:	String Value
Is Required?:	No
Minimum Length:	
Maximum Length:	

Sample JSON:

```
"typeQualifier": "BM"
```

Description:

Section: 1.28.1.12.1.2

Name:	reference
Full Path:	qpInBond.billOfLadingList.billOfLading.additionalInfoReferences.additionalInfoReference.reference
Type:	String Value
Is Required?:	No
Minimum Length:	
Maximum Length:	

Sample JSON:

```
"reference": "4455676"
```

Description:

Section: 1.28.1.13

Name:	foreignShipper
Full Path:	qpInBond.billOfLadingList.billOfLading.foreignShipper
Type:	Object
Is Required?:	Yes

Sample JSON:

```
"foreignShipper": {  
  "name": "Bob's Shipping",  
  "address": {  
    "addressLine": "123 Fake Street",  
    "city": "Toronto",  
    "stateProvince": "ON",  
    "stateProvinceName": "Ontario",  
    "country": "CA",  
    "countryName": "Canada",  
    "postalCode": "A1A1A"  
  },  
  "phoneNumber": "1234567890"  
}
```

Description:

Section: 1.28.1.13.1

Name:	name
Full Path:	qpInBond.billOfLadingList.billOfLading.foreignShipper.name
Type:	String Value
Is Required?:	No
Minimum Length:	
Maximum Length:	

Sample JSON:

```
"name": "Bob's Shipping"
```

Description:

Section: 1.28.1.13.2

Name:	address
Full Path:	qpInBond.billOfLadingList.billOfLading.foreignShipper.address
Type:	Object
Is Required?:	Yes

Sample JSON:

```
"address": {  
  "addressLine": "123 Fake Street",  
  "city": "Toronto",  
  "stateProvince": "ON",  
  "stateProvinceName": "Ontario",  
  "country": "CA",  
  "countryName": "Canada",  
  "postalCode": "A1A1A"  
}
```

Description:

Section: 1.28.1.13.2.1

Name:	addressLine
Full Path:	qpInBond.billOfLadingList.billOfLading.foreignShipper.address.addressLine
Type:	String Value
Is Required?:	Yes
Minimum Length:	
Maximum Length:	

Sample JSON:

```
"addressLine": "123 Fake Street"
```

Description:

Section: 1.28.1.13.2.2

Name:	city
Full Path:	qpInBond.billOfLadingList.billOfLading.foreignShipper.address.city
Type:	String Value
Is Required?:	Yes
Minimum Length:	
Maximum Length:	

Sample JSON:

```
"city": "Toronto"
```

Description:

Section: 1.28.1.13.2.3

Name: stateProvince
Full Path: qpInBond.billOfLadingList.billOfLading.foreignShipper.address.stateProvince
Type: String Value
Is Required?: No
Minimum Length:
Maximum Length:

Sample JSON:

```
"stateProvince": "ON"
```

Description:

Section: 1.28.1.13.2.4

Name:	stateProvinceName
Full Path:	qpInBond.billOfLadingList.billOfLading.foreignShipper.address.stateProvinceName
Type:	String Value
Is Required?:	No
Minimum Length:	
Maximum Length:	

Sample JSON:

```
"stateProvinceName": "Ontario"
```

Description:

Section: 1.28.1.13.2.5

Name:	country
Full Path:	qpInBond.billOfLadingList.billOfLading.foreignShipper.address.country
Type:	String Value
Is Required?:	No
Minimum Length:	
Maximum Length:	

Sample JSON:

```
"country": "CA"
```

Description:

Section: 1.28.1.13.2.6

Name:	countryName
Full Path:	qpInBond.billOfLadingList.billOfLading.foreignShipper.address.countryName
Type:	String Value
Is Required?:	No
Minimum Length:	
Maximum Length:	

Sample JSON:

```
"countryName": "Canada"
```

Description:

Section: 1.28.1.13.2.7

Name:	postalCode
Full Path:	qpInBond.billOfLadingList.billOfLading.foreignShipper.address.postalCode
Type:	String Value
Is Required?:	Yes
Minimum Length:	
Maximum Length:	

Sample JSON:

```
"postalCode": "A1A1A"
```

Description:

Section: 1.28.1.13.3

Name:	phoneNumber
Full Path:	qpInBond.billOfLadingList.billOfLading.foreignShipper.phoneNumber
Type:	String Value
Is Required?:	No
Minimum Length:	
Maximum Length:	

Sample JSON:

```
"phoneNumber": "1234567890"
```

Description:

Section: 1.28.1.14

Name:	consignee
Full Path:	qpInBond.billOfLadingList.billOfLading.consignee
Type:	Object
Is Required?:	Yes

Sample JSON:

```
"consignee": {  
  "name": "Alice's Receiving",  
  "address": {  
    "addressLine": "33 Diffe-hellman Blvd",  
    "city": "Flint",  
    "stateProvince": "MI",  
    "stateProvinceName": "Michigan",  
    "country": "US",  
    "countryName": "United States",  
    "postalCode": "11111"  
  },  
  "phoneNumber": "1234555890"  
}
```

Description:

Section: 1.28.1.14.1

Name:	name
Full Path:	qpInBond.billOfLadingList.billOfLading.consignee.name
Type:	String Value
Is Required?:	No
Minimum Length:	
Maximum Length:	

Sample JSON:

```
"name": "Alice's Receiving"
```

Description:

Section: 1.28.1.14.2

Name:	address
Full Path:	qpInBond.billOfLadingList.billOfLading.consignee.address
Type:	Object
Is Required?:	Yes

Sample JSON:

```
"address": {  
  "addressLine": "33 Diffe-hellman Blvd",  
  "city": "Flint",  
  "stateProvince": "MI",  
  "stateProvinceName": "Michigan",  
  "country": "US",  
  "countryName": "United States",  
  "postalCode": "11111"  
}
```

Description:

Section: 1.28.1.14.2.1

Name:	addressLine
Full Path:	qpInBond.billOfLadingList.billOfLading.consignee.address.addressLine
Type:	String Value
Is Required?:	Yes
Minimum Length:	
Maximum Length:	

Sample JSON:

```
"addressLine": "33 Diffe-hellman Blvd"
```

Description:

Section: 1.28.1.14.2.2

Name:	city
Full Path:	qpInBond.billOfLadingList.billOfLading.consignee.address.city
Type:	String Value
Is Required?:	Yes
Minimum Length:	
Maximum Length:	

Sample JSON:

```
"city": "Flint"
```

Description:

Section: 1.28.1.14.2.3

Name:	stateProvince
Full Path:	qpInBond.billOfLadingList.billOfLading.consignee.address.stateProvince
Type:	String Value
Is Required?:	No
Minimum Length:	
Maximum Length:	

Sample JSON:

```
"stateProvince": "MI"
```

Description:

Section: 1.28.1.14.2.4

Name:	stateProvinceName
Full Path:	qpInBond.billOfLadingList.billOfLading.consignee.address.stateProvinceName
Type:	String Value
Is Required?:	No
Minimum Length:	
Maximum Length:	

Sample JSON:

```
"stateProvinceName": "Michigan"
```

Description:

Section: 1.28.1.14.2.5

Name:	country
Full Path:	qpInBond.billOfLadingList.billOfLading.consignee.address.country
Type:	String Value
Is Required?:	No
Minimum Length:	
Maximum Length:	

Sample JSON:

```
"country": "US"
```

Description:

Section: 1.28.1.14.2.6

Name:	countryName
Full Path:	qpInBond.billOfLadingList.billOfLading.consignee.address.countryName
Type:	String Value
Is Required?:	No
Minimum Length:	
Maximum Length:	

Sample JSON:

```
"countryName": "United States"
```

Description:

Section: 1.28.1.14.2.7

Name:	postalCode
Full Path:	qpInBond.billOfLadingList.billOfLading.consignee.address.postalCode
Type:	String Value
Is Required?:	Yes
Minimum Length:	
Maximum Length:	

Sample JSON:

```
"postalCode": "11111"
```

Description:

Section: 1.28.1.14.3

Name:	phoneNumber
Full Path:	qpInBond.billOfLadingList.billOfLading.consignee.phoneNumber
Type:	String Value
Is Required?:	No
Minimum Length:	
Maximum Length:	

Sample JSON:

```
"phoneNumber": "1234555890"
```

Description:

Section: 1.28.1.15

Name: notifyParties
Full Path: qpInBond.billOfLadingList.billOfLading.notifyParties
Type: Array<JsonObject>
Is Required?: Yes

Sample JSON:

```
[
  {
    "name": "Watchdog Enterprises",
    "address": {
      "addressLine": "117 Spartan rd",
      "city": "Flint",
      "stateProvince": "MI",
      "stateProvinceName": "Michigan",
      "country": "US",
      "countryName": "United States",
      "postalCode": "11111"
    },
    "phoneNumber": "1234555891"
  }
]
```

Description:

Section: 1.28.1.15.1

Name:	notifyParty
Full Path:	qpInBond.billOfLadingList.billOfLading.notifyParties.notifyParty
Type:	Object
Is Required?:	Yes

Sample JSON:

```
{
  "name": "Watchdog Enterprises",
  "address": {
    "addressLine": "117 Spartan rd",
    "city": "Flint",
    "stateProvince": "MI",
    "stateProvinceName": "Michigan",
    "country": "US",
    "countryName": "United States",
    "postalCode": "11111"
  },
  "phoneNumber": "1234555891"
}
```

Description:

Section: 1.28.1.15.1.1

Name:	name
Full Path:	qpInBond.billOfLadingList.billOfLading.notifyParties.notifyParty.name
Type:	String Value
Is Required?:	No
Minimum Length:	
Maximum Length:	

Sample JSON:

```
"name": "Watchdog Enterprises"
```

Description:

Section: 1.28.1.15.1.2

Name:	address
Full Path:	qpInBond.billOfLadingList.billOfLading.notifyParties.notifyParty.address
Type:	Object
Is Required?:	Yes

Sample JSON:

```
"address": {  
  "addressLine": "117 Spartan rd",  
  "city": "Flint",  
  "stateProvince": "MI",  
  "stateProvinceName": "Michigan",  
  "country": "US",  
  "countryName": "United States",  
  "postalCode": "11111"  
}
```

Description:

Section: 1.28.1.15.1.2.1

Name:	addressLine
Full Path:	qpInBond.billOfLadingList.billOfLading.notifyParties.notifyParty.address.addressLine
Type:	String Value
Is Required?:	Yes
Minimum Length:	
Maximum Length:	

Sample JSON:

```
"addressLine": "117 Spartan rd"
```

Description:

Section: 1.28.1.15.1.2.2

Name:	city
Full Path:	qpInBond.billOfLadingList.billOfLading.notifyParties.notifyParty.address.city
Type:	String Value
Is Required?:	Yes
Minimum Length:	
Maximum Length:	

Sample JSON:

```
"city": "Flint"
```

Description:

Section: 1.28.1.15.1.2.3

Name:	stateProvince
Full Path:	qpInBond.billOfLadingList.billOfLading.notifyParties.notifyParty.address.stateProvince
Type:	String Value
Is Required?:	No
Minimum Length:	
Maximum Length:	

Sample JSON:

```
"stateProvince": "MI"
```

Description:

Section: 1.28.1.15.1.2.4

Name:	stateProvinceName
Full Path:	qpInBond.billOfLadingList.billOfLading.notifyParties.notifyParty.address.stateProvinceName
Type:	String Value
Is Required?:	No
Minimum Length:	
Maximum Length:	

Sample JSON:

```
"stateProvinceName": "Michigan"
```

Description:

Section: 1.28.1.15.1.2.5

Name:	country
Full Path:	qpInBond.billOfLadingList.billOfLading.notifyParties.notifyParty.address.country
Type:	String Value
Is Required?:	No
Minimum Length:	
Maximum Length:	

Sample JSON:

```
"country": "US"
```

Description:

Section: 1.28.1.15.1.2.6

Name:	countryName
Full Path:	qpInBond.billOfLadingList.billOfLading.notifyParties.notifyParty.address.countryName
Type:	String Value
Is Required?:	No
Minimum Length:	
Maximum Length:	

Sample JSON:

```
"countryName": "United States"
```

Description:

Section: 1.28.1.15.1.2.7

Name:	postalCode
Full Path:	qpInBond.billOfLadingList.billOfLading.notifyParties.notifyParty.address.postalCode
Type:	String Value
Is Required?:	Yes
Minimum Length:	
Maximum Length:	

Sample JSON:

```
"postalCode": "11111"
```

Description:

Section: 1.28.1.15.1.3

Name:	phoneNumber
Full Path:	qpInBond.billOfLadingList.billOfLading.notifyParties.notifyParty.phoneNumber
Type:	String Value
Is Required?:	No
Minimum Length:	
Maximum Length:	

Sample JSON:

```
"phoneNumber": "1234555891"
```

Description:

Section: 1.28.1.16

Name: commodities
Full Path: qpInBond.billOfLadingList.billOfLading.commodities
Type: Array<JsonObject>
Is Required?: Yes

Sample JSON:

```
[
  {
    "marksAndNumbers": "1111",
    "descriptionBreakdowns": [
      {
        "description": "Grains Of Rice",
        "quantity": 10,
        "quantityUom": "LSE"
      }
    ],
    "hsBreakdowns": [
      {
        "hsCode": "444444",
        "value": 10,
        "netWeight": 1,
        "weightUom": "KG"
      }
    ],
    "hazmatDetailsList": [
      {
        "hazmatCode": "1234",
        "hazardousMaterialsClass": "4512",
        "type": "U",
        "hazardousMaterialDescription": "Dangerous goods",
        "hazardousMaterialContact": "123456789",
        "flashpointTemperature": 100,
        "additionalDescriptions": [
          "Additional description"
        ],
        "additionalClassificationInfo": [
          "Additional classification information"
        ]
      }
    ],
    "container": {
      "number": "123456789",
      "type": "GO",
      "sealNumber1": "1234",
      "sealNumber2": "5678"
    }
  }
]
```

Description:

Section: 1.28.1.16.1

Name: commodity
Full Path: qpInBond.billOfLadingList.billOfLading.commodities.commodity
Type: Object
Is Required?: Yes

Sample JSON:

```
{
  "marksAndNumbers": "1111",
  "descriptionBreakdowns": [
    {
      "description": "Grains Of Rice",
      "quantity": 10,
      "quantityUom": "LSE"
    }
  ],
  "hsBreakdowns": [
    {
      "hsCode": "444444",
      "value": 10,
      "netWeight": 1,
      "weightUom": "KG"
    }
  ],
  "hazmatDetailsList": [
    {
      "hazmatCode": "1234",
      "hazardousMaterialsClass": "4512",
      "type": "U",
      "hazardousMaterialDescription": "Dangerous goods",
      "hazardousMaterialContact": "123456789",
      "flashpointTemperature": 100,
      "additionalDescriptions": [
        "Additional description"
      ],
      "additionalClassificationInfo": [
        "Additional classification information"
      ]
    }
  ],
  "container": {
    "number": "123456789",
    "type": "GO",
    "sealNumber1": "1234",
    "sealNumber2": "5678"
  }
}
```

Description:

Section: 1.28.1.16.1.1

Name:	marksAndNumbers
Full Path:	qpInBond.billOfLadingList.billOfLading.commodities.commodity.marksAndNumbers
Type:	String Value
Is Required?:	Yes
Minimum Length:	
Maximum Length:	

Sample JSON:

```
"marksAndNumbers": "1111"
```

Description:

Section: 1.28.1.16.1.2

Name:	descriptionBreakdowns
Full Path:	qpInBond.billOfLadingList.billOfLading.commodities.commodity.descriptionBreakdowns
Type:	Array<JsonObject>
Is Required?:	Yes

Sample JSON:

```
[  
  {  
    "description": "Grains Of Rice",  
    "quantity": 10,  
    "quantityUom": "LSE"  
  }  
]
```

Description:

Section: 1.28.1.16.1.2.1

Name: descriptionBreakdown
Full Path: qpInBond.billOfLadingList.billOfLading.commodities.commodity.descriptionBreakdowns.descriptionBreakdown
Type: Object
Is Required?: Yes

Sample JSON:

```
{  
  "description": "Grains Of Rice",  
  "quantity": 10,  
  "quantityUom": "LSE"  
}
```

Description:

Section: 1.28.1.16.1.2.1.1

Name: description
Full Path: qpInBond.billOfLadingList.billOfLading.commodities.commodity.descriptionBreakdowns.descriptionBreakdown.description
Type: String Value
Is Required?: No
Minimum Length:
Maximum Length:

Sample JSON:

```
"description": "Grains Of Rice"
```

Description:

Section: 1.28.1.16.1.2.1.2

Name:	quantity
Full Path:	qpInBond.billOfLadingList.billOfLading.commodities.commodity.descriptionBreakdowns.descriptionBreakdown.quantity
Type:	Numeric Value
Is Required?:	No

Sample JSON:

```
"quantity": 10
```

Description:

Section: 1.28.1.16.1.2.1.3

Name:	quantityUom
Full Path:	qpInBond.billOfLadingList.billOfLading.commodities.commodity.descriptionBreakdowns.descriptionBreakdown.quantityUom
Type:	String Value
Is Required?:	No
Minimum Length:	
Maximum Length:	

Sample JSON:

```
"quantityUom": "LSE"
```

Description:

Section: 1.28.1.16.1.3

Name: hsBreakdowns
Full Path: qpInBond.billOfLadingList.billOfLading.commodities.commodity.hsBreakdowns
Type: Array<JsonObject>
Is Required?: Yes

Sample JSON:

```
[  
  {  
    "hsCode": "444444",  
    "value": 10,  
    "netWeight": 1,  
    "weightUom": "KG"  
  }  
]
```

Description:

Section: 1.28.1.16.1.3.1

Name:	hsBreakdown
Full Path:	qpInBond.billOfLadingList.billOfLading.commodities.commodity.hsBreakdowns.hsBreakdown
Type:	Object
Is Required?:	Yes

Sample JSON:

```
{  
  "hsCode": "444444",  
  "value": 10,  
  "netWeight": 1,  
  "weightUom": "KG"  
}
```

Description:

Section: 1.28.1.16.1.3.1.1

Name:	hsCode
Full Path:	qpInBond.billOfLadingList.billOfLading.commodities.commodity.hsBreakdowns.hsBreakdown.hsCode
Type:	String Value
Is Required?:	No
Minimum Length:	
Maximum Length:	

Sample JSON:

```
"hsCode": "444444"
```

Description:

Section: 1.28.1.16.1.3.1.2

Name:	value
Full Path:	qpInBond.billOfLadingList.billOfLading.commodities.commodity.hsBreakdowns.hsBreakdown.value
Type:	Numeric Value
Is Required?:	No

Sample JSON:

```
"value": 10
```

Description:

Section: 1.28.1.16.1.3.1.3

Name:	netWeight
Full Path:	qpInBond.billOfLadingList.billOfLading.commodities.commodity.hsBreakdowns.hsBreakdown.netWeight
Type:	Numeric Value
Is Required?:	No

Sample JSON:

```
"netWeight": 1
```

Description:

Section: 1.28.1.16.1.3.1.4

Name:	weightUom
Full Path:	qpInBond.billOfLadingList.billOfLading.commodities.commodity.hsBreakdowns.hsBreakdown.weightUom
Type:	String Value
Is Required?:	No
Minimum Length:	
Maximum Length:	

Sample JSON:

```
"weightUom": "KG"
```

Description:

Section: 1.28.1.16.1.4

Name:	hazmatDetailsList
Full Path:	qpInBond.billOfLadingList.billOfLading.commodities.commodity.hazmatDetailsList
Type:	Array<JsonObject>
Is Required?:	Yes

Sample JSON:

```
[
  {
    "hazmatCode": "1234",
    "hazardousMaterialsClass": "4512",
    "type": "U",
    "hazardousMaterialDescription": "Dangerous goods",
    "hazardousMaterialContact": "123456789",
    "flashpointTemperature": 100,
    "additionalDescriptions": [
      "Additional description"
    ],
    "additionalClassificationInfo": [
      "Additional classification information"
    ]
  }
]
```

Description:

Section: 1.28.1.16.1.4.1

Name:	hazmatDetails
Full Path:	qpInBond.billOfLadingList.billOfLading.commodities.commodity.hazmatDetailsList.hazmatDetails
Type:	Object
Is Required?:	Yes

Sample JSON:

```
{
  "hazmatCode": "1234",
  "hazardousMaterialsClass": "4512",
  "type": "U",
  "hazardousMaterialDescription": "Dangerous goods",
  "hazardousMaterialContact": "123456789",
  "flashpointTemperature": 100,
  "additionalDescriptions": [
    "Additional description"
  ],
  "additionalClassificationInfo": [
    "Additional classification information"
  ]
}
```

Description:

Section: 1.28.1.16.1.4.1.1

Name:	hazmatCode
Full Path:	qpInBond.billOfLadingList.billOfLading.commodities.commodity.hazmatDetailsList.hazmatDetails.hazmatCode
Type:	String Value
Is Required?:	Yes
Minimum Length:	
Maximum Length:	

Sample JSON:

```
"hazmatCode": "1234"
```

Description:

Section: 1.28.1.16.1.4.1.2

Name:	hazardousMaterialsClass
Full Path:	qpInBond.billOfLadingList.billOfLading.commodities.commodity.hazmatDetailsList.hazmatDetails.hazardousMaterialsClass
Type:	String Value
Is Required?:	No
Minimum Length:	
Maximum Length:	

Sample JSON:

```
"hazardousMaterialsClass": "4512"
```

Description:

Section: 1.28.1.16.1.4.1.3

Name:	type
Full Path:	qpInBond.billOfLadingList.billOfLading.commodities.commodity.hazmatDetailsList.hazmatDetails.type
Type:	String Value
Is Required?:	No
Minimum Length:	
Maximum Length:	

Sample JSON:

```
"type": "U"
```

Description:

Section: 1.28.1.16.1.4.1.4

Name: hazardousMaterialDescription
Full Path: qpInBond.billOfLadingList.billOfLading.commodities.commodity.hazmatDetailsList.hazmatDetails.hazardousMaterialDescription
Type: String Value
Is Required?: No
Minimum Length:
Maximum Length:

Sample JSON:

```
"hazardousMaterialDescription": "Dangerous goods"
```

Description:

Section: 1.28.1.16.1.4.1.5

Name: hazardousMaterialContact
Full Path: qpInBond.billOfLadingList.billOfLading.commodities.commodity.hazmatDetailsList.hazmatDetails.hazardousMaterialContact
Type: String Value
Is Required?: No
Minimum Length:
Maximum Length:

Sample JSON:

```
"hazardousMaterialContact": "123456789"
```

Description:

Section: 1.28.1.16.1.4.1.6

Name:	flashpointTemperature
Full Path:	qpInBond.billOfLadingList.billOfLading.commodities.commodity.hazmatDetailsList.hazmatDetails.flashpointTemperature
Type:	Numeric Value
Is Required?:	No

Sample JSON:

```
"flashpointTemperature": 100
```

Description:

Section: 1.28.1.16.1.4.1.7

Name: additionalDescriptions
Full Path: qpInBond.billOfLadingList.billOfLading.commodities.commodity.hazmatDetailsList.hazmatDetails.additionalDescriptions
Type: Array<String>
Is Required?: No
Minimum Length (of element in array):
Maximum Length (of element in array):

Sample JSON:

```
"additionalDescriptions": [ "Additional description" ]
```

Description:

Section: 1.28.1.16.1.4.1.8

Name: additionalClassificationInfo
Full Path: qpInBond.billOfLadingList.billOfLading.commodities.commodity.hazmatDetailsList.hazmatDetails.additionalClassificationInfo
Type: Array<String>
Is Required?: No
Minimum Length (of element in array):
Maximum Length (of element in array):

Sample JSON:

```
"additionalClassificationInfo": [ "Additional classification information" ]
```

Description:

Section: 1.28.1.16.1.5

Name:	container
Full Path:	qpInBond.billOfLadingList.billOfLading.commodities.commodity.container
Type:	Object
Is Required?:	Yes

Sample JSON:

```
"container": {  
  "number": "123456789",  
  "type": "G0",  
  "sealNumber1": "1234",  
  "sealNumber2": "5678"  
}
```

Description:

Section: 1.28.1.16.1.5.1

Name:	number
Full Path:	qpInBond.billOfLadingList.billOfLading.commodities.commodity.container.number
Type:	String Value
Is Required?:	No
Minimum Length:	
Maximum Length:	

Sample JSON:

```
"number": "123456789"
```

Description:

Section: 1.28.1.16.1.5.2

Name:	type
Full Path:	qpInBond.billOfLadingList.billOfLading.commodities.commodity.container.type
Type:	String Value
Is Required?:	No
Minimum Length:	
Maximum Length:	

Sample JSON:

```
"type": "GO"
```

Description:

Section: 1.28.1.16.1.5.3

Name:	sealNumber1
Full Path:	qpInBond.billOfLadingList.billOfLading.commodities.commodity.container.sealNumber1
Type:	String Value
Is Required?:	No
Minimum Length:	
Maximum Length:	

Sample JSON:

```
"sealNumber1": "1234"
```

Description:

Section: 1.28.1.16.1.5.4

Name:	sealNumber2
Full Path:	qpInBond.billOfLadingList.billOfLading.commodities.commodity.container.sealNumber2
Type:	String Value
Is Required?:	No
Minimum Length:	
Maximum Length:	

Sample JSON:

```
"sealNumber2": "5678"
```

Description: